

FIG. 1

T03050° CT-H-41860




FIG. 2

T0E050-Z744749360





FIG. 3

TOE050-2747860



## FIG. 4


FIG. 4 illustrates a print queue interface with the following components and data:

- Header Labels (401-405):** Brackets above the table header. 401 is on the left, 402 is in the middle, 403 is in the middle, 404 is on the right, and 405 is on the far right.
- Table Header:** A row of five columns with labels: TIME, JOB NAME, USER, and STATUS.
- Table Data:** Two rows of data. The first row contains:
  - TIME: 17:30 and 17:31 (each with a lock icon 407)
  - JOB NAME: ConfidentialDoc and ABCD
  - USER: Manager and Who am I
  - STATUS: Waiting and Waiting
- Text Box:** A box labeled "Secured Print" located below the table.
- Footnote (406):** A bracket pointing to the "Secured Print" box.

401	402	403	404	405
TIME	JOB NAME	USER	STATUS	
17:30 17:31	ConfidentialDoc ABCD	Manager Who am I	Waiting Waiting	
Secured Print				

## FIG. 5

T0E0501-27th200860



## FIG. 6

T0E050:27th/2060






FIG. 7




**FIG. 8**



## FIG. 9

TOE050-17474860



## FIG. 10

FOE050-27th20060




FIG. 11

11/19

Confirm Password

Document will be printed in the Secured Print mode.  
Confirm document name, user name, and password.

Document Name:  1103

User Name:  1101

Password:  1102

OK Cancel 1104 1105



FIG. 12

VIDEO "Truth 860"

Confirm Password

Document will be printed in the Secured Print mode.  
Confirm document name, user name, and password.

Document Name:

User Name:

Password:

FIG. 13





FIG. 14



## FIG. 15





FIG. 16



## FIG. 17




FIG. 18

TOP SECRET//COMINT




FIG. 19

TDE050-2711/4060

